

## Data sheet

## FALC





### GENERAL

Art. no.:	G-1155-M/XXL	E-class number:	40-02-01-02
EAN:	4030281284895	Customs no.:	63079098
Standard:	EN 358:2018 EN 361:2002		

## SKYLOTEC Industry-born. Sports-driven.

# Data sheet

## FALC

FALC is the universal harness for diverse applications in industry and trades. It comes equipped with a practical climbing protection eyelet and a simple design that makes it the optimal assistant for easy climbing using fixed climbing systems on buildings, monuments and masts. The comfortable back padding on FALC provides high wearing comfort. FALC also features individual adjustment options in the chest area which gives the user optimal seating. Naturally, FALC has been tested for up to 140 kg user weight.

### FEATURES

Hand-washing:	40 °C			
Click buckles:	yes			
Max. service life:	10 Years			
Max. number of persons: 1				
Rated load:	140 KG			
Attachment Points:				
dorsal attachment point, sternal attachment point,				
pole strap attachment point, climbing protection				
eyelet				
Back support:	yes			
Temperature:	from 45 °C to -35 °C			
Area of application:				
Fire brigade / Rescue / Special Forces, Metal				
Construction, Mobile Work Platforms, Power				
Supplies / -Transmission / Telecommunications,				
Wind Energy / Offshore Industry				

### DIMENSIONS

Size:	M/XXL
Waist size:	85-120cm
Weight:	1,81 kg



### MATERIAL

Material:		
Polyester, Aluminium, Steel		
Sternal attachment point material:		
Polyester		
Pole strap attachment point material:		
Steel		
Dorsal attachment point material:		
Steel		
Climbing protection eyelet material:		
Steel		
Material Click buckle: Aluminium		