

Data sheet

FALC



GENERAL

Art. no.:	G-1155-XS/M
EAN:	4030281280170
Standard:	EN 358:2018 EN 361:2002

E-class number:	40-02-01-02
Customs no.:	63079098

Data sheet

FALC

FALC is the universal harness for diverse applications in industry and trades. It comes equipped with a practical climbing protection eyelet and a simple design that makes it the optimal assistant for easy climbing using fixed climbing systems on buildings, monuments and masts. The comfortable back padding on FALC provides high wearing comfort. FALC also features individual adjustment options in the chest area which gives the user optimal seating. Naturally, FALC has been tested for up to 140 kg user weight.

FEATURES

Hand-washing:	40 °C
Click buckles:	yes
Max. service life:	10 Years
Max. number of persons:	1
Rated load:	140 KG
Attachment Points:	dorsal attachment point, sternal attachment point, pole strap attachment point, climbing protection eyelet
Back support:	yes
Temperature:	from 45 °C to -35 °C
Area of application:	Fire brigade / Rescue / Special Forces, Metal Construction, Mobile Work Platforms, Power Supplies / -Transmission / Telecommunications, Wind Energy / Offshore Industry

DIMENSIONS

Size:	XS/M
Waist size:	70-100cm
Weight:	1,69 kg

MATERIAL

Material:

Polyester, Aluminium, Steel

Sternal attachment point material:

Polyester

Pole strap attachment point material:

Steel

Dorsal attachment point material:

Steel

Climbing protection eyelet material:

Steel

Material Click buckle: Aluminium
