

Data sheet

ARG 30



GENERAL

Art. no.: G-AUS-0030
EAN: 4030281161714

E-class number: 40-02-01-02
Customs no.: 63079098

Data sheet

ARG 30

The ARG 30 series harnesses are the high performance all-rounders for industry and trade. Fall arrest rated front & rear attachment points, Confined Space loops on the shoulders plus traditional male/female type connect hardware make this a light, uncomplicated and comfortable harness. The central steel chest eyelet is approved as a fall-arrest and rescue eyelet. The individually adjustable buckles enable a single model to adapt to different sizes and different users. Also available with an optional 300mm Dorsal Extension strap.

GENERAL

Internat. standard:	AS/NZS 1891.1:2007
---------------------	--------------------

FEATURES

Hand-washing:	40 °C
---------------	-------

Max. service life:	10 Years
--------------------	----------

Max. number of persons:	1
-------------------------	---

Attachment Points:

dorsal attachment point, sternal attachment point, rescue eyelet

Temperature:	from 45 °C to -35 °C
--------------	----------------------

Area of application:

Confined Spaces, Construction / Roofer / Carpenter, Facade / Window Cleaning, High Rack, Mobile Work Platforms

DIMENSIONS

Size:	UNISIZE
-------	---------

Waist size:	80-110cm
-------------	----------

Weight:	1,16 kg
---------	---------

MATERIAL

Material:	Polyester, Steel
-----------	------------------

Webbing material:	Polyester
-------------------	-----------

Sternal attachment point material:	
------------------------------------	--

Steel

Rescue eyelet material:	Polyester
-------------------------	-----------

Dorsal attachment point material:	
-----------------------------------	--

Steel
